

 Contact our sales office for delivery dates and prices as this is a special model.

SP123X-011E  
P: QY


 *P.G.Information (Specialized Product)*

## 3 Port Mechanical Valve Large Push Button Type for Control Stand VM130-01-30\*-X31 / X41 / X246

SMC CORPORATION  
4-14-1, SOTO-KANDA,  
CHIYODA-KU,  
TOKYO 101-0021, JAPAN  
URL <http://www.smcworld.com>

■ **Features: The outside diameter of the push button expanded.**


### X31: With ring guard



- **Unintentional use prevented.**

The button cannot be pushed by mistake.  
(The button is pushed with a finger tip.)

### X41: With ring guard and contamination eliminating hole




- **Unintentional use prevented.**

The button cannot be pushed by mistake.  
(The button is pushed with a finger tip.)

- **A hole to eliminate foreign matter added.**

Air blowing can be applied to the hole, eliminating foreign matter and dust.  
Also, the large clearance between the ring guard and push button helps prevent entry of foreign matter and dust as well.

### X246: Extra-large push button



The button can be pushed with a palm, which reduces fatigue.

However, since it is possible that the button is pushed unintentionally, be sure to use in combination with the two hand control valve (VR51).



## ■ Specifications

	X31	X41	X246
Symbol			
Fluid	Air		
Max. operating pressure	1 MPa		
Min. operating pressure	-100kPa		
Effective area (Cv)	2.5mm×10 <sup>2</sup>		
Ambient and fluid temperature	0~60°C (No freezing)	-5~60°C (No freezing)	
Color of push button	Red, Green, Black, Yellow	Red, Green, Black	

## ■ How to Order

### VM130 - 01 - 30 R - X31

● Color of push button

Symbol	Color	X31	X41	X246
R	Red	●	●	●
G	Green	●	●	●
B	Black	●	●	●
Y	Yellow	●	-	-


● Push button type

Symbol	Content	Type
X31	With ring guard	
X41	With ring guard and Contamination eliminating hole	
X246	Extra-large push button	


\* Contact SMC for port size of NPT1/8 or G1/8.



# VM130-01-30□-X246



PANEL MOUNTING HOLE



⚠ Caution To ensure the safest possible operation of this product, please be sure to thoroughly read the "Safety Instructions" in our "Best Pneumatics" catalog before use.